Interaction in mixed models

<u>Paulo Ramos¹</u>, Célia Fernandes¹, and João T. Mexia²

¹Lisbon Superior Engineering Institute, Portugal, Portugal ²New University of Lisbon, Portugal

Abstract

In this work we use binary operations on commutative Jordan algebras, CJA, to study interactions between factors that nest. From two CJA we can, through these binary operations, build CJA which constitute Boolean Algebras. So when we nest the treatments from one model in each treatment of another model, we can study which sets of factors from the nested model for which we consider interactions with the factors from the previous model.

Keywords

Binary operations, Boolean algebras, Commutative Jordan algebras, Interaction, Linear models.

References

Almeida e Costa, A. (1968). Cours d'algèbre générale, vol. 1. Fundação Calouste Gulbenkian.

Federer, W. and King, F. (2007). Variations on Split Plot and Split Block Experiment Designs. John Wiley and Sons.

Fonseca, M., Mexia, J.T., and Zmyślony, R. (2006). Binary operations on Jordan algebras and orthogonal normal models. *Linear Algebra Appl.* 417, 75–86.

Jordan, P., von Neumann, J., and Wigner, E. (1934). On a algebraic generalization of the quantum mechanical formulation. Ann. of Math. (2), 35(1), 29–64.

Khuri, A., Mathew, T., and Sinha, B. (1998). *Statistical Tests for Mixed Linear Models*. New York: John Wiley and Sons.

Malley, J. (2004). *Statistical Applications of Jordan Algebras*. Springer-Verlag.

1

Montgomery, D. (2004). Design and Analysis of Experiments, 6th edition. John Wiley and Sons.

Seely, J. (1971). Quadratic subspaces and completeness. Ann. Math. Statist. $42(2),\,710{-}721.$

Vanleeuwen, D., Seely, J., and Birkes, D. (1998). Sufficient conditions for orthogonal designs in mixed linear models. J. Statist. Plann. Inference 73, 373–389.

Vanleeuwen, D., Birkes, D., and Seely, J. (1999). Balance and orthogonality in designs for mixed classification models. Ann. Statist. 27(6), 1927–1947.

2